



Carros porta-bandejas plegables

NUESTRO SISTEMA DE FABRICACIÓN NOS PERMITE OFRECERLE:

- Medidas adaptadas a sus necesidades.
- Diferente número de niveles.
- Adaptable a diversas aplicaciones.
- Adaptable a cualquier caja o bandeja.
- Suministrable con cajas, bacs, cajoneras, tablas de corte, sobres de acero inoxidable, etc...

ADAPTABLES A CUALQUIER CAJA O BANDEJA CONSÚLTENOS.



Bandejas Gastronorm.



CARROS

CARROS PEQUEÑOS

ESQUEMA	REFERENCIA	MEDIDAS L x A x H	COLOR TUBO	COLOR TAPÓN	Nº CAJAS O CUBETAS	ALTURA MAX. CUBETA	TABLA CORTE O MESA
	CA642 (2 niv.)	650 x 540 x 900	GRIS BEIGE BLANCO	MARRÓN NEGRO	2	500 mm.	SI SI SI
	CA643 (3 niv.)	650 x 540 x 900			3	270 mm.	
	CA644 (4 niv.)	650 x 540 x 900			4	170 mm.	
	CM642 (2 niv.)	750 x 540 x 900			1	500 mm.	
	CM643 (3 niv.)	750 x 540 x 900			2	270 mm.	
	CM644 (4 niv.)	750 x 540 x 900			3	170 mm.	

OPCIÓN: PLEGABLE O NO PLEGABLE CON ASA DE TRANSPORTE
RUEDAS CINCADAS O DE PLÁSTICO DE 100 ó 125 mm. DE DIÁMETRO (2 CON FRENO, 2 SIN FRENO)



CARROS PORTA-BANDEJAS PLEGABLES

ESQUEMA	REFERENCIA / CARACTERÍSTICAS	MEDIDAS L x A x H	COLOR TUBO	COLOR TAPÓN	CÁLCULO DE ALTURAS
	CB555910 Para bandejas o cajas de N.E. de 600 x 400, Gastronorm, etc...	650 x 540 x 1790	GRIS BEIGE BLANCO	GRIS OSCURO MARRÓN NEGRO	Altura necesaria 290 mm. + Altura caja xxx X Nº de cajas + Perfil L 22,5 mm., X Nº de cajas + Holgura + 10 mm., X Nº de cajas ALTURA TOTAL= xxx mm.



RUEDAS CINCADAS O DE PLÁSTICO DE 125 mm. DE DIÁMETRO (2 CON FRENO, 2 SIN FRENO)

Lógicas



Bancos de vestuario

NUEVA ESTANTERÍA ESTÁNDAR MODULAR

ESQUEMAS	REFERENCIA	SUPERFICIE RANURADA			COLORES	
		MEDIDAS L x A x H H 1500 4 est./H 1745 5 est.	LUZ ENTRE BARRAS	ESTANTES	COMBINACIÓN ESTÁNDAR TUBOS	CODOS
	ANW4004/5 ANW5004/5 ANW6004/5	1000 x 400 x 1500/1745 1000 x 500 x 1500/1745 1000 x 600 x 1500/1745	70 67 65	4/5 4/5 4/5	GRIS BEIGE BLANCO	NEGRO
	BNW4004/5 BNW5004/5 BNW6004/5	1200 x 400 x 1500/1745 1200 x 500 x 1500/1745 1200 x 600 x 1500/1745	70 67 65	4/5 4/5 4/5	GRIS BEIGE BLANCO	NEGRO
	CNW4004/5 CNW5004/5 CNW6004/5	1500 x 400 x 1500/1745 1500 x 500 x 1500/1745 1500 x 600 x 1500/1745	70 67 65	4/5 4/5 4/5	GRIS BEIGE BLANCO	NEGRO
	DNW4004/5 DNW5004/5 DNW6004/5	2000 x 400 x 1500/1745 2000 x 500 x 1500/1745 2000 x 600 x 1500/1745	70 67 65	4/5 4/5 4/5	GRIS BEIGE BLANCO	NEGRO

LUZ ENTRE ESTANTES 400 mm. PARA 4 EST ALTURA 1500 mm. Y 350 mm. PARA 5 EST. ALTURA 1745 mm.



LAS ESQUINAS SE COMPONEN DE UNA ESTANTERÍA ESTÁNDAR (BASE) Y OTRA ADOSADA A ESTA (ENCAJE); ES NECESARIO SABER SI EL ENCAJE SE REALIZA A LA IZQUIERDA O A LA DERECHA DE LA BASE; LAS MEDIDAS A TENER EN CUENTA SON LAS EXTERIORES (PARED)

ACCESORIOS PARA LA NUEVA ESTANTERÍA ESTÁNDAR

PLACAS DE P.E. BLANCO ALIMENTARIO PARA ESTANTERIA SUPERFICIE EN POLIETILENO DE 2 mm DE GROSOR			CANTIDAD NECESARIA POR ESTANTE
ESQUEMAS	REFERENCIA	PARA	
	ANW4004/5 ANW5004/5 ANW6004/5	1000 x 400 x 1500/1745 1000 x 500 x 1500/1745 1000 x 600 x 1500/1745	1 1 1
	BNW4004/5 BNW5004/5 BNW6004/5	1200 x 400 x 1500/1745 1200 x 500 x 1500/1745 1200 x 600 x 1500/1745	1 1 1
	CNW4004/5 CNW5004/5 CNW6004/5	1500 x 400 x 1500/1745 1500 x 500 x 1500/1745 1500 x 600 x 1500/1745	2 2 2
	DNW4004/5 DNW5004/5 DNW6004/5	2000 x 400 x 1500/1745 2000 x 500 x 1500/1745 2000 x 600 x 1500/1745	2 2 2

PATAS REGULABLES				CANTIDAD NECESARIA Estant. "A" Y "B"	CANTIDAD NECESARIA Estant. "C" Y "D"
ESQUEMAS	DIÁMETRO	REGULACIÓN	REFERENCIA		
	40	20 mm.	PRNPENG	2 (SOLO FRONTAL)	3 (SOLO FRONTAL)

BANCOS Y ELEMENTOS DE VESTUARIO

NUEVO BANCO DE VESTUARIO			
ESQUEMAS	MEDIDAS L x A x H	REFERENCIA	NIVELES
	1000 x 350 x 485 1500 x 350 x 485 2000 x 350 x 485	BAN1000 BAN1500 BAN2000	LUZ ENTRE BARRAS 30 mm. (SUPERIOR); 105 mm (INFERIOR)



Folding Racks

Resistant, hygienic, folding and versatile racks

RESISTANT:

- Load resistance: 250 kg/m²
- Temperature margins: Since -40°C until 80°C
- Inalterable to dampness, acids, oils and fats.
- NO detergents' spots


HYGIENIC:

- Not porous surface.
- Made it with high quality plastic resins.
- Avoid condensation.
- Not oxidation.
- Curve edges to avoid accidents.
- Removable trays for an easy dishwasher cleaning.


FLEXIBLE AND CONFORMABLE:

- Extendable with new elements (modular).
- Easy adaptation to new heights.
- Special design for a better utilization of the corners.
- Customized trays, plain or grid.

We accept requests for any special measures.



Lateral ceilings to avoid shelves' displacements



Our folding system allows an optimum packaging volume and easy carry.



Removable trays to facilitate their wash, It could be wash on the dishwasher.




Trays with or without grids.



Folding Racks

FOLDING MONOBLOC							
		HEIGHTS 1500 mm. 4 Racks	NUMBER OF GRIDS	COLORS	HEIGHTS 1745 mm. 5 Racks	NUMBER OF GRIDS	COLORS
	MEASURES L x A x H H 1500 4 est. / H 1745 5 est.	REF.	QUANTITY		REF.	QUANTITY	
	1000 x 400 x 1500/1745	AP4004	8	GR-BG-WH	AP4005	10	GR-BG-WH
	1000 x 500 x 1500/1745	AP5004	8	GR-BG-WH	AP5005	10	GR-BG-WH
	1000 x 600 x 1500/1745	AP6004	8	GR-BG-WH	AP6005	10	GR-BG-WH
	1200 x 400 x 1500/1745	BP4004	12	GR-BG-WH	BP4005	15	GR-BG-WH
	1200 x 500 x 1500/1745	BP5004	12	GR-BG-WH	BP5005	15	GR-BG-WH
	1200 x 600 x 1500/1745	BP6004	12	GR-BG-WH	BP6005	15	GR-BG-WH
	1500 x 400 x 1500/1745	CP4004	12	GR-BG-WH	CP4005	15	GR-BG-WH
	1500 x 500 x 1500/1745	CP5004	12	GR-BG-WH	CP5005	15	GR-BG-WH
	1500 x 600 x 1500/1745	CP6004	12	GR-BG-WH	CP6005	15	GR-BG-WH
	2000 x 400 x 1500/1745	DP4004	16	GR-BG-WH	DP4005	20	GR-BG-WH
	2000 x 500 x 1500/1745	DP5004	16	GR-BG-WH	DP5005	20	GR-BG-WH
	2000 x 600 x 1500/1745	DP6004	16	GR-BG-WH	DP6005	20	GR-BG-WH

FOLDING MODULARES							
		HEIGHTS 1500 mm. 4 Racks	NUMBER OF GRIDS	COLORS	HEIGHTS 1745 mm. 5 Racks	NUMBER OF GRIDS	COLORS
	MEASURES L x A x H H 1500 4 est. / H 1745 5 est.	REF.	QUANTITY		REF.	QUANTITY	
	1000 x 400 x 1500/1745	APM4004	8	GR-BG-WH	APM4005	10	GR-BG-WH
	1000 x 500 x 1500/1745	APM5004	8	GR-BG-WH	APM5005	10	GR-BG-WH
	1000 x 600 x 1500/1745	APM6004	8	GR-BG-WH	APM6005	10	GR-BG-WH
	1200 x 400 x 1500/1745	BPM4004	12	GR-BG-WH	BPM4005	15	GR-BG-WH
	1200 x 500 x 1500/1745	BPM5004	12	GR-BG-WH	BPM5005	15	GR-BG-WH
	1200 x 600 x 1500/1745	BPM6004	12	GR-BG-WH	BPM6005	15	GR-BG-WH
	1500 x 400 x 1500/1745	CPM4004	12	GR-BG-WH	CPM4005	15	GR-BG-WH
	1500 x 500 x 1500/1745	CPM5004	12	GR-BG-WH	CPM5005	15	GR-BG-WH
	1500 x 600 x 1500/1745	CPM6004	12	GR-BG-WH	CPM6005	15	GR-BG-WH
	2000 x 400 x 1500/1745	DPM4004	16	GR-BG-WH	DPM4005	20	GR-BG-WH
	2000 x 500 x 1500/1745	DPM5004	16	GR-BG-WH	DPM5005	20	GR-BG-WH
	2000 x 600 x 1500/1745	DPM6004	16	GR-BG-WH	DPM6005	20	GR-BG-WH
	THE CORNERS CONSIST OF A STANDARD RACK AND OTHER ONE ATTACHED TO THIS ONE; IT IS NECESSARY TO KNOW IF THE LACE IS REALIZED TO THE LEFT SIDE OR TO THE RIGHT SIDE OF THE BASE; THE MEASURES TO HAVE IN ACCOUNT ARE EXTERIORS					TUBES, GRAY, BEIGE AND WHITE	STOPPERS BROWN AND BLACK

GRID TRAY FOR FOLDING RACKS						
	REF.	FOR	COLOR	MEASURES	Nº OF HOLES	HOLES' SIZE
	RJ400	XP Y XPM400	BLUE	495 x 266 x 22	20	96 x 24
	RJ500	XP Y XPM500	BLUE	495 x 355 x 22	30	85 x 24
	RJ600	XP Y XPM600	BLUE	495 x 455 x 22	30	115 x 24

PLAIN TRAY FOR FOLDING RACKS						
	REF.	FOR	COLOR	MEASURES	Nº OF HOLES	HOLES' SIZE
	RJL400	XP Y XPM400	BLUE	495 x 266 x 22	0	-
	RJL500	XP Y XPM500	BLUE	495 x 355 x 22	0	-
	RJL600	XP Y XPM600	BLUE	495 x 455 x 22	0	-

ACCESSORIES						
WHEELS	DIAMETER	MATERIAL	REF.	LOAD	QUANTITY FOR RACKS "A" and "B"	QUANTITY FOR RACKS "C" Y "D"
	125	CINCADA	RO125CISF	125 Kg.	4	6
	125	CINCADA	RO125CICF	125 Kg.	4	6
	125	POLIAMIDA	RO125PLSF	125 Kg.	4	6
	125	POLIAMIDA	RO125PLCF	125 Kg.	4	6
Note: In the racks with wheels need internal aluminum reinforcements (the cars have these reinforcements included in the price).						
ADJUSTABLE FOOT	DIAMETER	ADJUSTABLE	REF.	COLORS	QUANTITY FOR RACKS "A" Y "B"	QUANTITY FOR RACKS "C" Y "D"
	41	20 mm.	PRPENG	GR. BG. WH.	4	6



Standard shelves

HYGIENIC:

- Smooth and non porous surfaces.
- Made with high quality plastic resins.
- Moisture resistant.
- Rust resistant.
- Rounded edges to avoid accidents.

DURABILITY:


- Load Resistance to 400 kg./m²
- Temperatures resistance from -40° C to 80° C.
- Unalterable material to acids, oils, greases and moisture.
- Stain resistant with detergent's.
- M1 extinguishable car.

VERSATILITY:

- Easy add-on units.
- Adjustable heights.
- Special corner units.
- Variety of accessories.

ASK US ABOUT SPECIAL MEASURES

Packed.



Assembly.



Two posts.



Three posts.



Fit in "L".

STANDARD SHELVES / CORNERS

					COLOR	
GRATINS SURFACE (57 mm.)					STANDARD COMBINATION	
EXAMPLE	REFERENCE	MEASUREMENT (W x D x H)	SHELF	SOLID TAP	TUBING	STOPPERS
	A4004/5 A5004/5 A6004/5	1000 x 400 x 1500/1745 1000 x 500 x 1500/1745 1000 x 600 x 1500/1745	4/5	See accessories	GREY BEIGE WHITE	BROWN BLACK
	B4004/5 B5004/5 B6004/5	1200 x 400 x 1500/1745 1200 x 500 x 1500/1745 1200 x 600 x 1500/1745	4/5	See accessories	GREY BEIGE WHITE	BROWN BLACK
	C4004/5 C5004/5 C6004/5	1500 x 400 x 1500/1745 1500 x 500 x 1500/1745 1500 x 600 x 1500/1745	4/5	See accessories	GREY BEIGE WHITE	BROWN BLACK
	D4004/5 D5004/5 D6004/5	2000 x 400 x 1500/1745 2000 x 500 x 1500/1745 2000 x 600 x 1500/1745	4/5	See accessories	GREY BEIGE WHITE	BROWN BLACK
	THE CORNERS UNITS CONSIST OF A STANDARD SHELVED UNIT AND AN ATTACHABLE UNIT SHELF. PLEASE SPECIFY WHICH DIRECTION ATTACHABLE UNIT SHELF WILL BE PLACED. WE HAVE TO KNOW THE EXTERIOR MEASURES.				GREY BEIGE WHITE	BROWN BLACK

Note: The distance between bars is 57 mm. The distance between 4 shelves is; 400 mm. The distance between 5 shelves is 350 mm



Taquillas







Instalación M3 P2.




Puertas numeradas.

P U E R T A S	M O D U L O S					
	M1	M2	M3	M4	M5	M6
	P1					
	P2					
	P3					
	P4					
	P5					



TECHO INCLINADO





Taquillas

Material y características:

Resinas de polivinilo.

Inalterable a humedades, ácidos, bases y sales.

Fácil de montar y transportar.

Sin nervios interiores ni exteriores, facilitando así su limpieza.

Colores inalterables.


Condición contra el fuego M1 (autoextinguible).



Personalización



Patas regulables.




Cerradura de moneda.



1/2 Estante y barra de colgar.



Cerradura estándar.




Cerradura estándar.



Cierre por resbalón.



Puerta pivotante.



1/2 Estante y barra de colgar.



Pulsera numerada.